
#November 2018 Update: Driver Wrapper

A: How to open Download WinRAR (You may have trouble opening.rar files directly, so RAReditors is a great alternative). Install RAReditors Navigate to RAReditors/Install/3rdParty and double click install.exe How to use If you have trouble opening the.rar files, download WinRAR: First, you need to download the right configuration for your model. Then click on the.rar and select Process Modeler from the dropdown menu. Use the toolbar and tabs to navigate to the files you need. Notes The modeler is limited to one file at a time and can only open.r01,.r02 or.r03 format. The later the format the more complex the model but the more refined the results. Скачать и установить WinRAR Q: Change CSS transition-duration on :hover I'm in the midst of converting a site to using a different transition library (TweenMax), but I have run into a little snag. CSS transition-duration is not being applied on :hover - my assumption is this because that property has now been replaced by transition in the library. If this is the case, is there a simple way to apply a transition-duration to a specific attribute without explicitly defining the duration for all of them? Beekmans Bluff

```
/* CSS */ .address-container { position: relative; display: inline-block; margin: 20px 15px; background-color: #fff; box-shadow: 0 5px 20px rgba(0,0,0,.4); border-radius: 0 5px 5px; height: 90px; border: 1px solid #999; -webkit-transition: all.5s ease; /* Safari */ -moz-transition: all.5s ease; /* Firefox 4 */ -o-transition: all
```

Download

Download
